

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(324/76,77.ccls.) and @pd>"20050303" and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 09:05
L2	8	(324/76,11.ccls.) and @pd>"20050303" and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:16
L3	11	(702/72,94.ccls.) and @ad<"20040107" and @pd>"20050303"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:19
L4	34	(702/150,151.ccls.) and @ad<"20040107" and @pd>"20050303"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:20
L5	9	(702/124,163.ccls.) and @ad<"20040107" and @pd>"20050303"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:29
L6	0	(324/76,47,76.82.ccls.) and @ad<"20040107" and @pd>"20050303"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 07:53
L7	1	(324/89,623.ccls.) and @ad<"20040107" and @pd>"20050303"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:29

L8	14	(324/207.12,207.22.ccls.) and @ad<"20040107" and @pd>"20050303"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:30
L9	39	(324/207.23,207.25.ccls.) and @ad<"20040107" and @pd>"20050303"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:31
L11	15132	((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift)) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:54
L12	731	111 and ((phase\$1shift\$3 (phase adj shift)) with ("90" near2 degree))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:40
L13	529	112 and (phase\$1shift\$3 (phase adj shift)) same (sens\$3 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:38
L14	441	113 and (\$3calbra\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) with (value signal input amplitude magnitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:46
L15	387	114 and ((phase\$1shift\$3 (phase adj shift)) near\$ ("90" near2 degree))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:48
L17	366	113 and (\$3calbra\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) near\$ (value signal input amplitude magnitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 11:00

L18	305	117 and ((phase\$1shift\$3 (phase adj shift)) near3 ("90" near2 degree))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:50
L20	1	118 and (phase\$1shift\$3 (phase adj shift)) same (continuous adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:59
L23	741750	measur\$6 near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment) and @ad<"20040107"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 10:54
L24	382	123 and ((phase\$1shift\$3 (phase adj shift\$3)) near3 signal) with "90"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 11:01
L25	161	124 and (\$3calbra\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) near3 (amplitude magnitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 11:11
L26	31	125 and (out adj2 phase) near3 "90"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/29 11:02